



Add a splash of color to your home

Every awning is custom made to your specifications. With 140+ colors to choose from, you can make your home stand out from the crowd. Customize with alternate valance color and scallop design.



Size

Height - how far down the window an awning should come: This depends on where the window is located. On the east or west side of the house, the awning needs a drop that covers 65%-75% of the window. Because of the higher angle of the sun, an awning on the south side needs to cover only 45%-60% of the window to produce the same amount of shade.

Projection - Recommend 1/2 the height of the window, just make sure the awning does not project into the path of foot traffic unless it is at least 6' 8" from the ground.

Many Styles

- American, Canadian, Parisian and Marquee awnings use a heavy 1/2" x 2" anodized aluminum frame. Assembled
 - Classic Rainbo and Rainbo awnings have 3/4" round metal frame. Assembly required.
 - Venetian awnings are retractable with your choice of a hand crank or remote control and motor. Assembled
- Choose whichever best fits your taste or the requirements of your particular installation. Each style will be a durable, attractive awning and is available in custom-made sizes to fit every window in your home.

Many Styles

Americana awnings let in light, yet shut out heat and keep homes cooler by providing cool shade for hot sunny windows.

Environmentally friendly with energy savings

Awnings rate high as shading devices since they block direct sunlight before it enters the windows. They are attached above the window and extend outward and down. A properly installed awning can reduce heat gain in your home up to 65% on southern windows and as much as 77% on eastern and western windows.



Tips to Enhance the Long Life and Good Looks of Fabric Awnings

- Keep your awnings clean by rinsing every month or so with a garden hose. Do this on a hot sunny day to speed drying.
- Sunbrella® fabric: Every year or so, clean with a mild soap, but rinse thoroughly and immediately. For those stains that are beyond our normal care and cleaning instructions, such as bird droppings, roof run-off, acid rain, pollution, rust, tree sap, insect stains, etc., we suggest the products listed below under fabric care.
- Textiline® fabric: Common dirt: take care of stain promptly with warm water and strong detergent. Oil or grease: Use rubbing alcohol. Mildew: Use strong liquid detergent and warm water with bleach. See products listed below under fabric care.
- Clean underside of your awnings by brushing with a clean household broom.
- Keep shrubs and vines away from the awnings. They may contain acid, which can harm the fabric.
- Do not fold or roll awnings in extremely cold temperatures.
- Do not get insect spray on the fabric.
- Do not allow water to stand on the awning.
- Do not force awnings when raising or lowering them.
- Do not use your charcoal grill underneath an awning.
- Do not store awnings when they are damp.
- Remove leaves, twigs, etc. quickly to prevent stains.

Sunbrella® Fabric Care Products

1st step:

303 Fabric Cleaner. Designed to safely remove whatever Mother Nature and air pollution can drop onto awnings. Rinse awning with water. Use 1/2 cup or more cleaner in 1 gallon of warm water. Spray or brush on. Allow to penetrate. Brush with a soft brush, rinse thoroughly. For heavier soils, increase brushing and soak time. Rinse THOROUGHLY to remove soil and cleaning agent. Allow to air dry. It's now time to retreat with a fabric guard.



2nd step:

303 Fabric Guard. Apply every 1-3 years to renew the water repellent finish of your fabric. Reapply after every cleaning. Fabric should be thoroughly cleaned and dry. Spray until evenly wet overlapping spray area. Wait till dry to reuse awning. Apply to prevent soil and moisture from penetrating the fabric weave and make subsequent cleaning faster and easier.



Features:



- Awnings are shipped fully assembled: Simply unwrap, unfold, position fabric tensioning bars and install awning.
- Heavy duty 1/2" thick extruded aluminum frame is a full 2" wide for added strength.
- Awning fabric is mechanically fastened directly to the aluminum frame, with a vinyl trim.
- 100% acrylic Sunbrella® fabric, with a 10 year warranty.
- Tenera® thread by Gore Tex, used on structural seams, is warranted for the life of the fabric against seam failures.
- Over 100 different color choices.
- 9 scallop designs.
- Pull up kit.
- Optional lettering can be added to valance.





Features:

- Awnings are shipped fully assembled: Simply unwrap, unfold, position fabric tensioning bars and install awning.
- Heavy duty 1/2" thick extruded aluminum frame is a full 2" wide for added strength.
- Awning fabric is mechanically fastened directly to the aluminum frame, with a vinyl trim.
- 100% acrylic Sunbrella® fabric, with a 10 year warranty.
- Tenera® thread by Gore Tex, used on structural seams, is warranted for the life of the fabric against seam failures.
- Over 100 different color choices.
- 9 scallop designs.
- Pull up kit.
- Optional lettering can be added to valance.







Features:

- Awnings are shipped fully assembled: Simply unwrap, unfold, position fabric tensioning bars and install awning.
- Heavy duty 1/2" thick extruded aluminum frame is a full 2" wide for added strength.
- Awning fabric is mechanically fastened directly to the aluminum frame, with a vinyl trim.
- 100% acrylic Sunbrella® fabric, with a 10 year warranty.
- Tenera® thread by Gore Tex, used on structural seams, is warranted for the life of the fabric against seam failures.
- Over 100 different color choices.
- 9 scallop designs.
- Pull up kit.
- Optional lettering can be added to valance.

Standard Valance







Features:

- 3/4" round white, extruded aluminum frame.
- Aluminum wall hinge.
- Pull up kit standard, for raising and lowering awning.
- 8" Valance
- Sunbrella® tight weave fabric - 10 year limited warranty (Water repellent)

Standard Valance






Features:

- Each order is custom made to your specifications.
 - Choose from over 100 Sunbrella® colors - 10 year limited warranty.
 - Frame of powder coated aluminum in 3 different colors.
 - Tension controlled arms have double cables of coated stainless steel for strength and protection.
 - Sewn with Tenera® thread by Gore-Tex, seams are tough enough to last a lifetime.
 - Easy to adjust slope on projections of 11' 6" or less. 13' arms adjust with an allen wrench.
 - Valance in 9 scallop designs - Valance can be same color as unit or contrasting color.
 - Optional Motors for remote control operation.
 - Optional sensors to auto retract in high winds and auto extend when sunny for shade and energy savings.
 - Optional Protective hood to protect your awning from the elements.
 - Optional Drop curtain on front bar to add more shade protection.
- Open weave fabric allows you to still enjoy the view.

Standard Valance



Aluminum Frame Color Choices:






Features:

- Choice of 6", 12" or 24" valance height.
- Sunbrella® awning fabric, 10 year limited warranty.
- Mounting choices include:
Grommets - Screw in.
Aluminum Track - Slide fabric into track.
- 9 scallop designs.
- Optional lettering can be added to valance.

Lettering Styles

Times Bold	a A b B c C d D e E f F
Helvetica Bold	a A b B c C d D e E f F
Bauhaus - ITC Bold	a A b B c C d D e E f F
Goudy Heavyface Reg	a A b B c C d D e E f F
Amer Typewriter Med	a A b B c C d D e E f F
<i>Script MT Bold</i>	a A b B c C d D e E f F
Old English	a A b B c C d D e E f F
TRAJAN PRO	A A B B C C D D E E F F
Kristen ITC	a A b B c C d D e E f F
Forte MT	a A b B c C d D e E f F
Broadway	a A b B c C d D e E f F
Franklin Gothic	a A b B c C d D e E f F
Centaur	a A b B c C d D e E f F

Standard Valance





Features:

- Max unit size: 8' wide, 8' height.
- Aluminum frame, white.
- Solid aluminum weight bar.
- Powder coated mounting brackets.
Attach to wall or ceiling
3.35" tall x 3.5" deep
- Pull cord operation.
- Extruded aluminum roller tube 2".
- Guide system to stabilize fabric during breezy conditions is included.

Fabric Options:

- Sunbrella® tight weave fabric - 10 year limited warranty (Water repellent) *See pages 13-15
- Textilene® open weave fabric - 10 year limited warranty (Not water repellent)
*See color options below

Textilene® open weave fabric
10 year limited warranty
Filters up to 94% of UV rays, yet allows lighththrough. Not water repellent.





Features:

- Max unit size: 20' wide, 10' height
- Aluminum frame, white.
- Solid aluminum weight bar.
- Powder coated mounting brackets
Attach to wall or ceiling
4 in. tall x 4-1/2 in. deep
- Operate with hand crank or motor
- Extruded aluminum roller tube 3-1/2 in.
- Available with or without the wall guide tracks to keep fabric stable during breezy conditions.


Fabric Options:

- Sunbrella® tight weave fabric - 10 year limited warranty (Water repellent) *See pages 13-15
- Textilene® open weave fabric - 10 year limited warranty (Not water repellent)
*See color options below

Textilene® open weave fabric
10 year limited warranty

Filters up to 94% of UV rays, yet allows lighththrough. Not water repellent.





Features:

- Max unit size: 4'-20' wide, 4'-12' height.
- Aluminum mounting frame, white.
- Extruded aluminum 2" weight tube.
- Rope and pulley operation.

Fabric Options:

- Sunbrella® tight weave fabric - 10 year limited warranty (Water repellent) *See pages 13-15
- Textilene® open weave fabric - 10 year limited warranty (Not water repellent)
*See color options below

Textilene® open weave fabric
10 year limited warranty
Filters up to 94% of UV rays, yet allows lighththrough. Not water repellent.







Sunbrella® Fabric Swatches



Sunbrella® Fabric Swatches - Colors may not print accurate, call 800-851-0865, ext 128 for swatches
Check Sunbrella website for current fabric color choices.

Sunbrella offers the look and feel of canvas with the durability of acrylic.
10 year limited warranty. Water repellent.

Textilene® open weave fabric
5 year limited warranty
Filters up to 94% of UV rays, yet allows light through. Not water repellent.



Fabric Window & Door Awnings

TO ORDER Choose model	American Assembled	Marquee Assembled	Parisian Assembled
Width			
Specify in inches	1" increments 24" Minimum 240" Maximum	6" increments 30" minimum 120" maximum	1" increments 24" Minimum 192" Maximum
Projection			
Specify in inches	1" increments 18" minimum 42" maximum	N/A	1" increments 24" minimum 48" maximum
Awning Color	Sunbrella Fabric	Sunbrella Fabric	Sunbrella Fabric
Valance Color			
Scallop Design	9 styles	9 styles	9 styles
Frame	Anodized	Anodized	Anodized
Operation	Optional Pull Cord	Optional Pull Cord	Optional Pull Cord

TO ORDER Choose Model	Rainbo			Classic Rainbo		
Fabric Choice	Open Weave			Open Weave		
	Sunbrella			Sunbrella		
Width Choices	24"		62"	24"		62"
	31"		72"	31"		72"
	36"		84"	36"		84"
	48"		96"	48"		96"
Projection	24" projection			24" projection		
Scallop Design	9 styles			9 styles		
Frame	White aluminum			White aluminum		
Operation	Pull up cord included			Pull up cord included		

Retractable Awning

Please specify width and projection measurements in inches.
Order one awning per form.

Projection Width: 8' - 27',

5'
 6' 6"
 8'
 10'
 11' 6"
 13'

Frame color

Yolk White
 Chocolate
 Pasta - NA in 13' proj

Sunbrella fabric - body

Valance fabric - same as body
 Valance fabric

Mounting bracket Standard Wall Brackets
 Roof Mount Brackets
 Undersoffit-NA 13' proj Brackets

Option: Protective hood
 Option: front bar curtain- Maximum width 19' 6"
 Not available on 13' projection,

Fabric curtain color

Soltis 86-2047 Charcoal
 Soltis 86-2003 Taupe
 Soltis 86-2044 Natural

Control choices - Specify facing unit

Manual crank - right side
 Manual crank - left side
 Motor - right side
 Motor - left side

Standard Valance

Valance design

Standard	
Style A	
Style B	
Style C	
Style D	
Style F	
Style G	
Style H	
Style S - Straight	

Std remote for this awning
 Std remote for up to 5 units
 No remote, multi remote ordered on another unit
 Upgrade to patio remote, water resistant, shock proof
 Wall switch for 1 units
 Wall switch for up to 5 units
 Sun sensor
 Wind/Motion sensor

Warranty

What the Warranty Covers:

Americana Outdoors Inc warrants its products that have been installed in accordance with the installation guidelines, under normal usage conditions, and with proper maintenance as follows: Ten (10) year warranty against peeling, cracking, blistering, or crazing of the surface finish of aluminum components. One (1) year warranty against defects in materials and workmanship. Sunbrella® tight weave fabric, & Sheerweave fabric - 10 year limited warranty. Textilene® open weave fabric, & Soltis 86 - 5 year limited warranty.

Period of Coverage:

The warranty period begins on the date of original shipment.

What Americana Will Do To Correct Problems:

If defects or damage of the kind mentioned above should occur within the warranty period, Americana will replace the defective parts only; FOB its plant at Salem, Illinois, upon receiving the written and documented claim of purchaser.

What the Warranty Excludes:

Because of normal aging and weathering of materials, it may not be possible to perfectly match the colors of original parts and replacement parts. Americana will not provide or pay for the installation of such replacement parts. Americana shall not be responsible for weather related failures, damages due to faulty installation, misuse or abuse of the product, or for consequential damages, including personal injuries or property damages. There are no warranties, express or implied, which extend beyond the description on the face hereof.

How Do You Get Service:


If you believe that you have a claim under this warranty, submit a copy of your original receipt or other reasonable evidence of the date of purchase, the identity of the product, and photos and a description of the allegedly defective product to the address below. Please also include your name, address, and phone number so that a customer service representative can respond to your submission. Ultimate determination of the existence and extent of any claimed defect under this warranty shall be made by Americana in its sole discretion.

Submit Claims To:

Americana Outdoors, Inc Warranty Claim, P.O. Box 1290, Salem, IL, 62881



PO Box 1290,
2 Industrial Drive, Salem IL 62881
1-800-851-0865
Sales@Americana.com



2020 RESIDENTIAL FABRIC
AWNINGS & CANOPIES CATALOG